
(T U B)

OTOBO User Manual

Release 10.1

Rother OSS GmbH

Mar 11, 2024

Contents



This work is copyrighted by OTRS AG (<https://otrs.com>), Zimmersmühlenweg 11, 61440 Oberursel, Germany.

Copyright © for modifications and amendments 2019-2020 ROTHER OSS GmbH (<https://otobo.de>), Oberwaling 31, 94339 Leiblging, Germany

Terms and Conditions OTRS: Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license can be found on the GNU website.

Terms and Conditions Rother OSS: Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "COPYING".

Published by: Rother OSS GmbH, (<https://otobo.de>), Oberwaling 31, 94339 Leiblging, Germany.

Authors: OTRS AG (original version), Rother OSS GmbH (<https://otobo.de>).

This manual is intended for use by OTOBO agents. The chapters describe the usage of the OTOBO software as an agent user.

1.1 Login to Agent Interface

The agent interface is available at the following location.

Note: You have to replace <OTOBO_HOST> with your domain.

```
https://<OTOBO_HOST>/otobo/index.pl
```

You need an agent account to be able to use OTOBO. If you have no account yet, please contact your administrator.

If you forget your password, click on the Lost your password? link, and follow the instructions there.

After a successful login, the agent dashboard will be displayed.




Fig. 1.1: Agent Login Screen




Fig. 1.2: Request New Password Screen

The screenshot displays the OTOBO Agent Interface dashboard. At the top, there is a navigation bar with a user profile icon, utility icons (calendar, phone, mail), and a search bar. The main navigation menu includes Dashboard, Customers, Calendar, Tickets, FAQ, Reports, and Admin. The dashboard is divided into several sections:

- Reminder Tickets:** Shows 'My locked tickets (0)' and a table with columns for TICKET#, AGE, and TITLE. The content is 'none'.
- Escalated Tickets:** Shows 'My locked tickets (0)', 'Tickets in My Queues (0)', 'Tickets in My Services (0)', and 'All tickets (0)'. The table content is 'none'.
- New Tickets:** Shows 'My locked tickets (0)', 'Tickets in My Queues (0)', 'Tickets in My Services (0)', and 'All tickets (1)'. The table contains one entry:

TICKET#	AGE	TITLE
2015071510123456	57 d 22 h	Welcome to OTOBO!
- Open Tickets:** Shows 'My locked tickets (0)', 'Tickets in My Queues (0)', 'Tickets in My Services (0)', and 'All tickets (0)'. The table content is 'none'.
- Ticket Queue Overview:** A summary table:

QUEUE	NEW	OPEN	PENDING REMINDER	TOTAL
Raw	1	0	0	1
TOTAL	1	0	0	
- Settings:** A sidebar section with a 'Settings' link.
- 7 Day Stats:** A line chart showing 'Created' (red) and 'Closed' (green) tickets over a 7-day period. The y-axis ranges from 0 to 1. The x-axis shows days from Thu to Wed. A green area under the line shows 1 closed ticket on Thursday.
- Upcoming Events:** A section with the text 'none'.
- Latest updated FAQ articles:** A section with no visible content.
- Latest created FAQ articles:** A section with no visible content.
- OTOBO News:** A list of news items:
 - OTOBO Launch
 - Chatbot, Testing, neue Features
 - Rother OSS veröffentlicht OTOBO 10 beta Beta-Launch am 30.01.2020
 - Rother OSS kündigt neues Open Sourc...

At the bottom center, there is a logo and the text 'Powered by Rother OSS'.

Fig. 1.3: Agent Interface

After login to the agent interface, the agent dashboard will be displayed. This dashboard is a collection of widgets, which display customized important information for each agent.

The dashboard is the main page of the system, where you can get an overview of tickets and other things related to ticket activity. It is designed to be the starting point for an agent's daily work. By default, it provides a quick summary of the tickets that are pending, escalated, new or open, and more information.

One of the most important features about the dashboard is that it is completely customizable. That means that you can configure each part as you want, showing or hiding elements. It is even possible to relocate these elements within the same column by clicking on and dragging the header of an element, and dropping them elsewhere. Each element is named widget. The system has some widgets ready to use out of the box, but the modular design of the dashboard screen is prepared to integrate custom widgets easily.

The content of this screen is arranged in two main columns, on the left column you normally can see information about tickets classified by their states like: reminder, escalated, new, and open. On each of these widgets you can filter the results to see all of the tickets that you are allowed to access, tickets you have locked, the ones that are located in agent defined queues, among other filters. There are also other kind of widgets in this column and they are all described below.

2.1 Dashboard

The dashboard is the main overview screen for agents. Use this screen to get full overview about the most important things: ticket lists, appointments, statistics, news.

The header consists of three parts.

Avatar image The Personal Menu and the Logout possibilities.

Toolbar icons Icons with numbers indicating some ticket actions with the number of related tickets. The icons and search boxes are not activated by default.

See also:

The dashboard features a dark blue header with navigation links: Dashboard, Customers, Calendar, Tickets, FAQ, Reports, Admin, and a search icon. On the right, there are icons for 'T B' and 'F', and the text 'Otobo Helpdesk'.

Reminder Tickets
 My locked tickets (0) | Tickets in My Queues (0) | Tickets in My Services (0) | All tickets (0)
 none

Escalated Tickets
 My locked tickets (0) | Tickets in My Queues (0) | Tickets in My Services (0) | All tickets (0)
 none

New Tickets
 My locked tickets (0) | Tickets in My Queues (0) | Tickets in My Services (0) | All tickets (1)

TICKET#	AGE	TITLE
2015071510123456	57 d 22 h	Welcome to OTOBO!

Open Tickets
 My locked tickets (0) | Tickets in My Queues (0) | Tickets in My Services (0) | All tickets (0)
 none

Ticket Queue Overview

QUEUE	NEW	OPEN	PENDING REMINDER	TOTAL
Raw	1	0	0	1
TOTAL	1	0	0	

7 Day Stats
 Created (red dot), Closed (green dot)
 Line graph showing 1 Created ticket on Thursday and 0 Closed tickets for the rest of the week.

Upcoming Events
 none

Latest updated FAQ articles

Latest created FAQ articles

OTOBO News

- OTOBO Launch
- Chatbot, Testing, neue Features
- Rother OSS veröffentlicht OTOBO 10 beta
- Beta-Launch am 30.01.2020
- Rother OSS kündigt neues Open Sourc...

Powered by Rother OSS

Fig. 2.1: Agent Dashboard

The header is a dark blue bar containing navigation links: Dashboard, Customers, Calendar, Tickets, FAQ, Reports, Admin, and a search icon. On the right, there are icons for 'T B' and 'F', and the text 'Otobo Helpdesk'.

Fig. 2.2: Dashboard Header

Icons and search boxes can be activated in settings under Frontend → Agent → Toolbar.

The last icon is the chat availability status.

See also:

System configuration `ChatEngine::Active` needs to be activated to use this feature.

The chat availability status icon is a three-way switch, and can be changed by clicking.

- Empty circle: unavailable for chats.
- Empty circle with tick sign: available for internal (agent to agent) chats.
- Filled circle with tick sign: available for internal (agent to agent) and external (customer to agent, public to agent) chats.

Note: The chat availability status will be changed from external chats to internal chats each time an agent logs in to OTOBO again.

Main menu The main menu of the agent interface.

The dashboard displays so called widgets. A widget is a box, that consists of a header, a filter and a data table. Each widget can be moved with drag and drop, and can have own settings.

Each ticket widget has own filter for displaying:

- My locked tickets: tickets which are locked by the current agent.
- My watched tickets: tickets that the agent has in his/her watched list (requires `Ticket::Watcher` setting to be turned on).
- My responsibilities: tickets that the agent is set as responsible (requires `Ticket::Responsible` setting to be turned on).
- Tickets in My Queues: tickets which are in queues selected in Personal Preferences.
- Tickets in My Services: tickets that are assigned to services selected in Personal Preferences.
- All tickets: all tickets in this kind of widget.

The numbers indicate the number of tickets in each filter term.

To add new widgets:

1. Click on the Settings widget in the right sidebar to expand it.
2. Select the widgets you want to add.
3. Click on the Save settings button.

To remove widgets:

1. Click on the Settings widget in the right sidebar to expand it.
2. Deselect the widgets you want to remove.
3. Click on the Save settings button.

See also:

You can also remove a widget, if you hover the mouse over the widget header and click on the × on the top right corner to close the widget.

To move widgets:

1. Click on the widget header and hold down the mouse button.




Fig. 2.3: Dashboard Widgets

2. Drag the widget to the desired position.
3. Drop the widget by releasing the mouse button.

Widgets can have own settings. To configure a widget:

1. Hover the mouse over the widget header.
2. Click on the gear icon in the top right corner.
3. Change the number and set the visible columns by drag and drop.
4. Click on the Save Changes button.

New Tickets

Shown Tickets:

Shown Columns:

AVAILABLE COLUMNS	VISIBLE COLUMNS (ORDER BY DRAG & DROP)
Filter available fields...	1. TicketNumber
Changed	2. Age
Created	3. Title
Customer Name	
Customer ID	
Customer User Name	
Customer User ID	
First Response Time	

Save Changes or Cancel

Fig. 2.4: Widget Settings

Note: The order of visible columns can be set by rearrange the columns in the Visible columns field.

2.1.1 Dashboard Content Widgets

Note: The widgets can be different depending on the installed packages and system configuration settings.

The Reminder Tickets widget lists the pending tickets. Pending tickets are set for later work by the agent, and the reminder time is going to expire soon.

The Escalated Tickets widget lists the escalated tickets. Escalated tickets are after the time set in service level agreement, and therefore needs to be worked on them immediately.

The New Tickets widget lists the recently created tickets. New tickets are not handled by an agent yet.

The Open Tickets widget lists the open tickets. Open tickets represent the current work done by the agent.

Reminder Tickets				
My locked tickets (0)		Tickets in My Queues (0)		All tickets (0)
		TICKET#	AGE	TITLE
none				

Fig. 2.5: Reminder Tickets Widget

Escalated Tickets				
My locked tickets (0)		Tickets in My Queues (0)		All tickets (0)
		TICKET#	AGE	TITLE
none				

Fig. 2.6: Escalated Tickets Widget

New Tickets				
My locked tickets (1)		Tickets in My Queues (0)		All tickets (1)
		TICKET#	▼ AGE	TITLE
■		2015071510123456	122 d 22 h	Welcome to OTRS!

Fig. 2.7: New Tickets Widget

Open Tickets				
My locked tickets (0)		Tickets in My Queues (0)		All tickets (0)
		TICKET#	▼ AGE	TITLE
none				

Fig. 2.8: Open Tickets Widget

The Running Process Tickets widget lists the process tickets, that are started, but not finished yet.




Fig. 2.9: Running Process Tickets Widget

The Ticket Queue Overview widget gives an overview as a ticket count matrix, where the rows represent queues and the columns represent the ticket states. Each cell displays the number of tickets in a defined state that belongs to a particular queue.

Ticket Queue Overview				
QUEUE	NEW	OPEN	PENDING REMINDER	TOTAL
Misc	0	3	0	3
Raw	4	0	0	4
TOTAL	4	3	0	

Fig. 2.10: Ticket Queue Overview Widget

The Events Ticket Calendar widget displays tickets in a calendar, but this widget does not work out-of-the-box.

To display the tickets in this calendar, the following settings need to be set by an **admin user**:

1. Create the following dynamic fields:

Object	Type	Name	Label
Ticket	Date / Time	TicketCalendarStartTime	Calendar Start Time
Ticket	Date / Time	TicketCalendarEndTime	Calendar End Time

2. Navigate to Frontend → Agent → View and select a view to add the dynamic field to.

For example add these dynamic fields to New Phone Ticket screen and New Email Ticket screen to set the dates at ticket creation time, or to Ticket Free Fields screen to set the dates for existing ticket in the Miscellaneous → Free Fields menu item of the Ticket Zoom screen.

- Ticket::Frontend::AgentTicketPhone###DynamicField
 - TicketCreateStartTime → 1 - Enabled
 - TicketCreateEndTime → 1 - Enabled
- Ticket::Frontend::AgentTicketEmail###DynamicField
 - TicketCreateStartTime → 1 - Enabled
 - TicketCreateEndTime → 1 - Enabled
- Ticket::Frontend::AgentTicketFreeText###DynamicField
 - TicketCreateStartTime → 1 - Enabled

- TicketCreateEndTime → 1 - Enabled

3. Add more queues to DashboardEventsTicketCalendar###Queues setting (default is Raw queue only).

If the dynamic fields contain values for the tickets, the tickets are displayed in the widget.

Hover the mouse over an entry to see the details of the ticket, or click on it to open the ticket in the Ticket Zoom screen.




Fig. 2.11: Events Ticket Calendar Widget


2.1.2 Dashboard Sidebar Widgets

The following widgets are located on the right sidebar. There is a Settings widget to turn other widgets on or off, and some information widgets also displayed here.

The Settings widget lists all available widgets on the screen.

To turn on or off a widget:

1. Expand the Settings widget in the right sidebar by clicking on its header bar.
2. Modify the checked state of a checkbox.



The image shows a settings widget with a title 'Settings' and a list of 15 items. Each item has a checkbox. The first 14 items are checked, and the last two are unchecked. A 'Save settings' button is located at the bottom of the widget.

▼ Settings

- Reminder Tickets
- Escalated Tickets
- New Tickets
- Open Tickets
- Running Process Tickets
- 7 Day Stats
- Upcoming Events
- Ticket Queue Overview
- Events Ticket Calendar
- Out Of Office
- Latest updated FAQ articles
- Latest created FAQ articles
- Logged-In Users
- OTOBO News
- Appointments

Save settings

Fig. 2.12: Settings Widget

3. Click on the Save settings button.

The 7 Day Stats widget displays the number of created and closed tickets in the last seven days.




Fig. 2.13: 7 Day Stats Widget

The Upcoming Events widget displays entries from the Calendar.




Fig. 2.14: Upcoming Events Widget

The Out Of Office widget displays the agents, who are currently out of office. This information can be set in the User Profile module of the Personal Preferences.

Note: If currently no agents are out of office, this widget is not displayed.

The Latest updated FAQ articles widget displays the FAQ articles, that are updated recently.

The Latest created FAQ articles widget displays the FAQ articles, that are created recently.

The Logged-In Users widget displays the currently online agents and customer users.



Fig. 2.15: Out Of Office Widget



Fig. 2.16: Latest Updated FAQ Articles Widget



Fig. 2.17: Latest Created FAQ Articles Widget




Fig. 2.18: Logged-In Users Widget